

# Facts about Particle Air Pollution

April 2009



## ***What is particle pollution?***

Particle pollution, called particulate matter or PM, is a combination of tiny specks of soot, dust, and aerosols that are suspended in the air we breathe.

- **Particles are made up of different things.** “A mixture of mixtures” is how the U.S. Environmental Protection Agency (EPA) describes them.<sup>1</sup> PM can be solids, like dust, ash or soot. PM can also be sulfate, nitrate or carbon-based aerosols.
- **Particles are different sizes.** The particles of most concern are small enough to lodge deep in the lungs where they can do serious damage. They are measured in microns. *Coarse particles* are 10 microns in diameter or smaller (PM<sub>10</sub>). *Fine particles* are 2.5 microns in diameter or smaller (PM<sub>2.5</sub>). Even smaller *ultrafine particles* can pass from the lung into the bloodstream just like oxygen molecules. By comparison, the diameter of a human hair is huge—70 microns.
- **Particles come from different sources.** Burning fuel is the major source of fine particle pollution —whether from woodstoves, diesel trucks and buses, or coal-fired power plants. Coarse particles come from other sources, including construction, agricultural practices and mining.

## ***What are the health effects of particle pollution?***

Short-term increases (over hours to days) in particle pollution have been linked to:

- death from respiratory and cardiovascular causes, including strokes;<sup>2,3,4</sup>
- increased numbers of heart attacks, especially among the elderly and in people with heart conditions;<sup>5</sup>
- inflammation of lung tissue in young, healthy adults;<sup>6</sup>
- increased hospitalization for cardiovascular disease, including strokes;<sup>7,8</sup>
- hospitalization for asthma among children; and<sup>9,10,11</sup>
- aggravated asthma attacks in children.<sup>12</sup>

Year-round exposure to particle pollution has also been linked to:

- increased hospitalization for asthma attacks in children living near roads with heavy truck or trailer traffic;<sup>13</sup>
- stunted lung function growth in children and teenagers;<sup>14,15</sup>
- significant damage to the small airways of the lungs;<sup>16</sup>
- increased risk of heart attacks and strokes in older women;<sup>17</sup>
- increased risk of dying from lung cancer; and<sup>18</sup>
- greater risk of death from cardiovascular disease.<sup>19</sup>

## ***How serious is the impact?***

Here's one example: California Air Resources Board scientists estimated that about 18,000 **premature deaths occur each year in California alone due to fine particle pollution.**<sup>20</sup> Other studies have estimated the nationwide death toll to be tens of thousands annually.<sup>21</sup>

# Facts about Particle Air Pollution

April 2009

The impact on life expectancy is substantial. Scientists recently calculated that reductions in fine particle air pollution increased the average lifespan in U.S. cities by approximately 5 months between 1980 and 2000.<sup>22</sup>

## ***Who is at risk?***

Anyone may be affected by particle pollution, but several groups are most at risk:

- Children under 18;
- Adults 65 and older;
- Anyone with chronic lung disease, such as asthma, chronic bronchitis or emphysema;
- Anyone with a cardiovascular disease, such as high blood pressure, coronary artery disease or congestive heart failure; and
- Anyone with diabetes.<sup>23</sup>

## ***How can you protect yourself and your family?***

- **Check daily air quality levels and air pollution forecasts in your area.** Sources include local radio and TV weather reports, newspapers and online at [www.epa.gov/airnow/](http://www.epa.gov/airnow/). In some areas you can have the information emailed or sent to your cell phone.
- **Don't burn wood or trash.** Burning firewood and trash are among the major sources of particle pollution in many parts of the country. If you must use a fireplace or stove for heat, convert your woodstoves to natural gas, which produces far fewer emissions.
- **Avoid exercising outdoors when pollution levels are high.** Walk indoors in a shopping mall or gym, or use an exercise machine. Always avoid exercising near high traffic areas. Limit the amount of time your child spends playing outdoors when the air quality is unhealthy.
- **Encourage your child's school district to reduce school bus emissions.** Most buses use heavily polluting diesel engines; newer fuels and engines are cleaner. Many school systems are using the EPA's Clean School Bus Campaign to clean up these dirty emissions. Schools can also forbid buses from idling at the building, to keep exhaust levels down.
- **Don't smoke or allow anyone to smoke indoors.** Cigarette smoke produces large amounts of particle pollution among its many toxic components.

## ***What should be done to protect the public from particle pollution?***

- **Congress and the EPA need to require old, dirty coal-fired power plants and industrial boilers to become cleaner, sooner.** Congress should immediately pass legislation to require these large plants to reduce their emissions of sulfur dioxide and nitrogen oxides that contribute to fine particle pollution. EPA should move quickly to implement these regulations to require immediate reductions from these plants.

# Facts about Particle Air Pollution

April 2009

- **Communities need to clean up old diesel equipment.** New diesel buses, trucks, and heavy equipment are cleaner than ever, thanks to pollution control requirements EPA has put in place in the last decade. Diesel fuels are also much cleaner. However, old diesel engines last a long time. Diesel engines in school buses, highway trucks and other equipment continue to operate for hundreds of thousands of miles, threatening the health of millions—especially those on or near highways—with dangerous exposure to diesel exhaust. Each community should move rapidly to retrofit and replace old diesel school buses and other equipment in the public diesel fleet.
- **EPA needs to set more protective national air quality standards for particle pollution.** The national air quality standards are the clean air goals that the states and counties must reach. They drive all the federal, state and local measures to clean up air pollution. EPA is currently reviewing the air quality standards for particle pollution. The American Lung Association and other public health and medical societies support setting a stricter annual average standard for fine particle pollution.<sup>24</sup>

For more information, contact the American Lung Association at 1-800-LUNG-USA (1-800-586-4872) or go to [www.LungUSA.org](http://www.LungUSA.org).

---

<sup>1</sup> U.S. Environmental Protection Agency. *Air Quality Criteria for Particulate Matter*. 2004. At: [http://www.epa.gov/ttn/naaqs/standards/pm/s\\_pm\\_cr\\_cd.html](http://www.epa.gov/ttn/naaqs/standards/pm/s_pm_cr_cd.html)

<sup>2</sup> Dominici F, McDermott A, Zeger SL, Samet JM. On the Use of Generalized Additive Models in Time-Series Studies of Air Pollution and Health. *Am. J. Epidemiol* 2002; 156: 193-203.

<sup>3</sup> Hong Y-C, Lee J-T, Kim H, Ha E-H, Schwartz J, Christiani DC Effects of Air Pollutants on Acute Stroke Mortality. *Environ. Health Perspect* 2002; 110: 187-191.

<sup>4</sup> Franklin M, Zeka A, Schwartz J. Association Between PM<sub>2.5</sub> and All-Cause and Specific-Cause Mortality in 27 U.S. Communities. *Journal of Exposure Science and Environmental Epidemiology* 2007; 17: 279-287.

<sup>5</sup> D'Ippoliti D, Forastiere F, Ancona C, Agabity N, Fusco D, Michelozzi P, Perucci CA. Air Pollution and Myocardial Infarction in Rome: a case-crossover analysis. *Epidemiology* 2003; 14: 528-535.

<sup>6</sup> Ghio AJ, Kim C, Devlin RB. Concentrated Ambient Air Particles Induce Mild Pulmonary Inflammation in Healthy Human Volunteers. *Am J Respir Crit Care Med* 2000; 162: 981-988.

<sup>7</sup> Dominici F, Peng RD, Bell ML, Pham L, McDermott A, Zeger SL, Samet JM. Fine Particulate Air Pollution and Hospital Admission for Cardiovascular and Respiratory Diseases. *JAMA* 2006; 295: 1127-1134.

<sup>8</sup> Tsai SS, Goggins WB, Chiu HF, Yang CY. Evidence for an Association Between Air Pollution and Daily Stroke Admissions in Kaohsiung, Taiwan. *Stroke*. 2003; 34: 2612-2616.

<sup>9</sup> Lin M, Chen Y, Burnett RT, Villeneuve PJ, Krewski D. The Influence of Ambient Coarse Particulate Matter on Asthma Hospitalization in Children: case-crossover and time-series analyses. *Environ. Health Perspect* 2002; 110: 575-581.

<sup>10</sup> Norris G, YoungPong SN, Koenig JQ, Larson TV, Sheppard L, Stout JW. An Association Between Fine Particles and Asthma Emergency Department Visits for Children in Seattle. *Environ Health Perspect* 1999; 107: 489-493.

<sup>11</sup> Tolbert PE, Mulholland JA, MacIntosh DD, Xu F, Daniels D, Devine OJ, Carlin BP, Klein M, Dorley J, Butler AJ, Nordenberg DF, Frumkin H, Ryan PB, White MC. Air Quality and Pediatric Emergency Room Visits for Asthma in Atlanta, Georgia. *Am J Epidemiol* 2000; 151: 798-810.

<sup>12</sup> Slaughter JC, Lumley T, Sheppard L, Koenig JQ, Shapiro GG. Effects of Ambient Air Pollution on Symptom Severity and Medication Use in Children with Asthma. *Ann Allergy Asthma Immunol* 2003; 91: 346-53.

<sup>13</sup> Lin S, Munsie JP, Hwang SA, Fitzgerald E, Cayo MR. Childhood Asthma Hospitalization and Residential Exposure to State Route Traffic. *Environ Res* 2002; 88: 73-81.

<sup>14</sup> Gauderman WJ, Gilliland GF, Vora H, Avol E, Stram D, McConnell R, Thomas D, Lurmann F, Margolis HG, Rappaport EB, Berhane K, Peters JM. Association between Air Pollution and Lung Function Growth in Southern California Children: results from a second cohort. *Am J Respir Crit Care Med* 2002; 166: 76-84.

<sup>15</sup> Gauderman WJ, Avol E, Gilliland F, Vora H, Thomas D, Berhane K, McConnell R, Kuenzli N, Lurmann F, Rappaport E, Margolis H, Bates D, Peters J. The Effect of Air Pollution on Lung Development from 10 to 18 Years of Age. *N Engl J Med* 2004; 351: 1057-1067

# Facts about Particle Air Pollution

April 2009

---

<sup>16</sup> Churg, A Brauer, M, Avila-Casado, MdC, Fortoul TI, Wright JL. Chronic Exposure to High Levels of Particulate Air Pollution and Small Airway Remodeling. *Environ Health Perspect* 2003; 111: 714-718.

<sup>17</sup> Miller KA, Siscovick DS, Sheppard L, Shepherd K, Sullivan JH, Anderson GL, Kaufman JD. Long-Term Exposure to Air Pollution and Incidence of Cardiovascular Events in Women. *N Engl J Med* 2007; 56: 447-458.

<sup>18</sup> Pope CA, Burnett RT, Thun MJ, Calle EE, Krewski D, Ito K, Thurston GD. Lung Cancer, Cardiopulmonary Mortality, and Long-Term Exposure to Fine Particulate Air Pollution. *JAMA* 2002; 287: 1132-1141.

<sup>19</sup> Pope CA III, Burnett RT, Thurston GD, Thun MJ, Calle EE, Krewski D, Godleski JJ. Cardiovascular Mortality and Year-round Exposure to Particulate Air Pollution: epidemiological evidence of general pathophysiological pathways of disease. *Circulation*. 2004;109:71-77.

<sup>20</sup> California Environmental Protection Agency, Air Resources Board. Methodology for Estimating Premature Deaths Associated with Long-term Exposure to Fine Airborne Particulate Matter in California. Staff Report, October 24, 2008.

<sup>21</sup> Abt Associates. *The Particulate-Related Health Benefits of Reducing Power Plant Emissions*. October 2000. Available at <http://www.catf.us/publications/view/4>. ; U. S. Environmental Protection Agency. Fact Sheet: Clean Air Interstate Rule, March 10 2005. Available at [http://www.epa.gov/air/interstateairquality/pdfs/cair\\_final\\_fact.pdf](http://www.epa.gov/air/interstateairquality/pdfs/cair_final_fact.pdf).

<sup>22</sup> Pope CA III, Ezzati M, Dockery DW. Fine-Particulate Air Pollution and Life Expectancy in the United States. *N Engl J Med* 2009; 360: 376-386.

<sup>23</sup> U.S. EPA. Air Quality Criteria for Particulate Matter. EPA/600/P-99/002bF. Oct. 2004.

<sup>24</sup> See more information on the American Lung Association recommendations at <http://www.cleanairstandards.org/>.